



VEHICLES / MAX HEIGHT	INCHES
VEHICLE 1	48.50
VEHICLE 2	52.00

UNDER PARKING		
VEHICLE 1 / IF PARKED UNDERNEATH		
1 (LOW LOCKING POSITION)	YES - WILL FIT	
2	YES - WILL FIT	
3	YES - WILL FIT	
4	YES - WILL FIT	
5	YES - WILL FIT	
6 (HIGH LOCKING POSITION)	YES - WILL FIT	
VEHICLE 2 / IF PARKED UNDERNEATH		
1 (LOW LOCKING POSITION)	YES - WILL FIT	
2	YES - WILL FIT	
3	YES - WILL FIT	
4	YES - WILL FIT	
5	YES - WILL FIT	
6 (HIGH LOCKING POSITION)	YES - WILL FIT	

INSTRUCTIONS: Input vehicle height in BLUE section to the left. GREEN data suggests best options.

ESTIMATED CEILING HEIGHT REQUIRED / PARKED ON LOCKS & CLEARING LOCKS			
SAFETY LOCK POSITIONS	VEHICLE 1 ON TOP	VEHICLE 2 ON TOP	
1 (LOW LOCKING POSITION)	107.20	110.70	
2	114.33	117.83	
3	120.55	124.05	
4	126.06	129.56	
5	130.77	134.27	
6 (HIGH LOCKING POSITION)	134.57	138.07	

CEILING HEIGHT CALCULATOR

SAFETY LOCK CLEARANCES / UNDERNEATH			
PARKED/LOCKED POSITIONS UNDER CLEARANCE / NO LOAD			
1 (LOW LOCKING POSITION)	52.50		
2	59.70		
3	66.00		
4	71.60		
5	76.40		
6 (HIGH LOCKING POSITION)	80.30		
PARKED/LOCKED POSITIONS UNDER CLEARANCE / WITH LOAD			
1 (LOW LOCKING POSITION)	52.45		
2	59.58		
3	65.80		
4	71.31		
5	76.02		
6 (HIGH LOCKING POSITION)	79.82		

NOTE: The dimensions shown on this page are for reference only. Specifications subject to change. Contact for more details.